
### Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.57




# HARDY PERENNIALS AND ROCK PLANTS


WHOLESALE

## HAMMONTON HARDY PLANT NURSERY

HAMMONTON NEW JERSEY

SPRING 1929





#### **TERMS**

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

# HARDY PERENNIALS AND ROCK PLANTS

	Per Doz.—	-Per 100
ACHILLEA		
Ptarmica Boule de Neige. Sprays of small, double white flowers. 12 to 18 inches. June-Sep-	1 70	10.00
tember.  "The Pearl. 'A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June- September.	1.50	10.00
June- September.	1.00	10.00
rupestris. A compact, low growing alpine plant, forming cushions of attractive, green foliage, and bearing masses of snow-white flowers borne in dense umbels. 6 in. May-June	2,00	12.00
tomentosa. A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers,	1.50	10.00
umbeliata. A rare and dainty rock plant bearing		
heads of snow white flowers over tuits of silvery foliage. 6 inches. June.	2.00	12.00
AETHIONEMA (Lebanon Candytuft)		
iberideum. A very free flowering trailer for the rock		
garden. It has gray, glaucous leaves and the		
white flowers are produced in terminal clusters. April-May.	2.50	15.00
AGROSTEMMA		
coronaria. Bright crimson flowers and gray woolly		
foliage making a pleasing contrast. 2 ft. June-July.	1.25	8.00
" alba. A white variety of the preceding.	1.25 $1.25$	8.00
AJUGA	-	
genevensis. Short spikes of intense blue flowers. A		
good rock plant, 6 in. June.	2.00	12.00

ALVESUM	Per Doz.	-Per 100
<b>ALYSSUM</b> <pre>argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.</pre>	1.50	10.00
saxatile compactum (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May.		8.00
ANCHUSA		
italica Dropmore Variety. Tall spikes of gentian- blue flowers, resembling giant forget-me-nots. 4 ft. June-July. italica Opal. Similar to the preceding, but having pale	1.50	10.00
blue flowers.	1.50	10.00
ANTHEMIS		
tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September.  AQUILEGA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		10.00
chrysantha. A tall and beautiful species bearing soft yellow flowers 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June.	1.50	10.00
<ul> <li>nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June.</li> <li>Mrs. Scott Eliott's Strain. This is probably the best strain of long spurred hybrids. The flowers</li> </ul>	1.25	8.00
are of rich and varied colors. 2-3 ft. May-June.	1.50	10.00
ARABIS (D. 1. C. ) A		
alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for		
spring bedding. 9 inches. April-May.	1.50	10.00

	Per Doz.—	-Per 100
ARENARIA montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May.	2.00	12.00
ARMERIA (Thrift, Sea Pink) Cephalotes. (Giant Thrift) Strong tufts of foliage		
and heads of silvery pink flowers borne on stout stems. Good for cutting. 1½ ft. May-June. maritima Laucheana. Compact tufts of grass-like foliage entirely covered in May and June with	1.50	10.00
globular heads of pink flowers. 6 inches.	2.00	12.00
ARTEMSIA lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems		
from August to October. 5-6 ft.	1.50	10.00
ASCLEPIAS tuberosa. Strong stems terminating in clusters of		
bright orange red flowers. 212 ft. May-June.	1.50	10.00
ASPHODELINE (Asphodel)		
lutea. Grassy foliage and stately spikes of yellow, lily-like flowers. 3-4 ft. July-September.	2.00	12.00
ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.		
Climax. Large pale mauve flowers with yellow centers		
are profusely borne on long straight stems 4-5 it. September-October.	1.50	10.00
Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers		
during October and November. 9 in.	1.50	10.00
N. A. Barr's Pink. A new variety of strong, erect growth, bearing large, bright pink flowers. When this variety was shown at the R. H. S. Hall, London, it was described by the Horticultural Advertiser as the best pink Aster in culti-		
ation. 4 ft. September-October.	2.50	15.00

	Per Doz.—	-Per 100
ASTER (continued		
N. A. Lil Fardel. Large clear pink flowers. 4 ft. September-October.	1.50	10.00
N. A. Mrs. FW. Raynor. Large crimson flowers. 4 ft. September-October.	1.50	10.00
Perry's White. A very free flowering variety of grace- ful habit. The flowers are large and of good substance. 4 ft. September-October.		10.00
The Queen. Very large flowers borne on loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September.		10.00
St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best		
asters in cultivation. 2½ ft.  tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems.		10.00
6 ft. November.	1.50	10.00
White Climax. A pure white form of Climax.	1.50	10.00
ASTER, DWARF ALPINE		
alpinus. Large, bluish purple flowers. 9 inches.		
May-June.	1.50	10.00
" albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July.	1.50	10.00
AUBRIETIA		
deltoidea. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May.		12.00
BAPTISIA		
australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, re sembling upines. When well established, this is a valuable plant for cutting. 3 ft. June-		
July.	1.50	10.00
BOCCONIA		
cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bear- ing panicles of creamy white flowers. 6-8 ft.		
July-August.	1.50	10.00

	Per Doz.—	Por 100
BOLTONIA	1 er D02.—	-rer 100
asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September.	1.25	8.00
latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.25	8.00
CALAMINTHA		
alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.	1.50	10.00
CAMPANULA (Bellflower) One of the most beautiful and important families of hardy plnats. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.		
carpatica. Branching stems bearing cup-shaped, blue		
flowers, 1½ inches or more in diameter. 1 ft. July-August.	1.50	10.00
Medium. (Canterbury Bell) Blue, pink, white; separate.	1.25	8.00
" Calycanthema. (Cup and Saucer) Mixed colors.	1.25	8.00
persicifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½ ft.	1.50	10.00
" Alba. A white variety of the preceding.	1.50	10.00
pyramidalis. (Chimney Campanula) Tall pyramidal		
spikes of blue flowers. 6 ft. July.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
CARYOPTERIS  mastacanthus. (Biue Spirea) A compact, free flow- ering plant of sub-shrubby habit with attrac- tive gray foliage; it is covered during fall with		
trusses of lavender-purple flowers.	2.00	12.00

CENTAUREA		
macrocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers.  1 ½ ft. June-July.  " alba. A white variety of the last.	1.50 1.50	10.00 10.00
CERASTIUM		
tomentosum. Forms a carpet of sivery foliage which is covered in May with pure white flowers.	1.50	10.00
CHRYSANTHEMUM maximum. (Shasta Daisy) A useful plant for cut- ting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-Sep- tember.	1.25	8.00
COREOPSIS		
grandiflora. One of the best hardy plants for cut- ting; bright yellow flowers are borne on long graceful stems throughout summer.	1.25	8.00
DELPHINIUM		
Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½-3 ft.	1.25	8.00
Bellamosum. Simi ar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
grandiflorum. (chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September.	1.25	8.00
" album. A white variety of the last.	1.25	8.00
Mixed Hybrids. Raised from seed saved from a first class strain.	2.00	12.00
DIANTHUS		
arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.	1.50	10.00
caesius. (Cheddar Pink) Blue-gray cushions of foliage and rosy pink, sweet y scented flowers car-	2.62	400
ried on 9 inch stems. May-June.	2.00	12.00

	Per Doz	Per 100
DIANTHUS (continued)		
delto des. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging.		
June-July.	1.50	10.00
" album. A white variety of the foregoing.  " Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark	1.50	10.00
green foliage.  plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from	1.50	10.00
white to crimson. 1 ft. May-June.	1.25	8.00
DIELYTRA		
formesa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink.  1 ft. May-August.	1.50	10.00
DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.		
gloxinaeflora. Pink, purple, white; separate.  The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose.	1.25 1.50	8.00
DRACOCEPHALUM  Ruyschianum. One of the showiest of spring flowering plants and one we recommend to those seeking something unusual. It forms a clump of many stems, each one being thickly covered during May with purplish blue, Salvia-shaped flowers. 1 to 1½ ft.	2.00	12.00
ECHINOPS (Globe Thistle) Vigorous and stately plants, attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.  Ritro. Globular heads of glistening blue flowers. 4		
ft. July-August.  sphaerocephalus. Heads of grayish white flowers. 4	1.50	10.00
ft. July-August. ERINUS	1.50	10.00
alpinus. A dwarf, dainty rock plant of tufted habit		
bearing pink flowers in May. 6 inches. " albus. A white variety of the last.	2.00 $2.00$	$12.00 \\ 12.00$

EUPATORIUM		
coelestinum. Very free flowering and one of the best		
hardy plants for cutting. Masses of blue,		
ageratum-like flowers from August to October.		
2 ft.	1.25	8.00
Fraseri. Feathery white flowers. 2 ft. July-Sep-		
tember.	1.25	8.00
EUPHORBIA (Spurge)		
corollata. The value of this plant for cutting is not		
fully appreciated. It is well adapted for ship-		
ping and its small pure white flowers take the		
place of Gypsophila paniculata when that is	•	
past. Best results are obtained by allowing it		
to remain undisturbed for several years. 11/2		
to 2 ft. August-September.	1.25	8.00
polychroma. A conspicuous object in early spring. It		
has a bushy, much branched habit, each branch		
terminating in a whorl of bright petal-like		
bracts. 1½ ft.	2.00	12.00
FUNKIA		
undulata variegata. Creamy white and green varie-		
gated leaves.	1.50	10.00
GAILLARDIA		
grandiflora. Ranging in color from old gold to crim-		
son. For furnishing a continuous supply of cut		
flowers, this plant is unrivaled. 2 ft. June-		
September.	1.25	8.00
GERANIUM		
sanguineum. Forms a thick mass of prostrate stems		
and bears a profusion of saucer shaped, blood		
red flowers. 1 ft. June-August.	2.00	12.00
GLOBULARIA (Globe Daisy)		
tricosantha. A low growing rock plant bearing glob-		
ular heads of pale blue flowers arising from		
tufts of shiny green foliage. 6 inches. May-		
June.	1.50	10.00
GYPSOPHILA		
Ehrlei. The most valuable hardy plant for cutting		
that has been introduced for many years. It		
is quite distinct from Gypsophila paniculata		
fl. pl. and flowers earlier than that variety.		
After the main crop of bloom is past, a con-		
tinuous succession of flower spikes are pro-		
duced until frost. Strong field-grown, grafted		
plants.	7.50	50.00
bamiron.		55.00

	Per Doz.—	-Per 100
GYPSOPHILA (continued) paniculata. Cloud-like masses of small white flowers.		
One of the most popular and useful plants for cutting. $2\frac{1}{2}$ ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down		
the slopes of the rock garden. Masses of small white nowers. June-July.	1.50	10.00
HELENIUM. Strong growing plants, valuable for pro- ducing late summer effects in woodland or herbaceous border. Also useful as a cut flower.		
autumnaie Riverton Gem. Rich mahogany-red flowers.		10.00
"Gartensonne. A new variety having clear yellow flowers. 4 ft. August-September.	2.00	12.00
" superbum. Yellow. 4 ft. August-September.	1.50	10.00
HELIANTHEMUM. (Rock or Sun Rose) Dwarf ever green shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.		
Fireball. Brilliant scarlet 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00
Mrs. Earle. Double scarlet flowers. 9 inches. praecox. Large, soft yellow flowers. Silvery foliage.	2.00	12.00
9 inches.	2.00	12.00
rhodanthe carneum. Very large, clear pink flowers. silvery foliage. 9 inches.	2.00	12.00
mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 5 ft. August-September.	1.50	10.00
HELIOPSIS		
Pitcheriana. Golden yellow flowers throughout the summer. 3 ft.	1.25	8.00

	Per Doz.—	-Per 100
HEMMEROCALLIS		
Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May.	1.50	10.00
Thunbergi. Clear yellow flowers. 3 ft. July	1.50	10.00
HERNIARIA		
glabra. A prostrate green carpeter which remains green throughout winter.	1.50	10.00
HESPERIS  matronalis. Sweetly scented, purple flowers freely pro-		
duced during summer. 1½ tt.	1.50	10.00
" albus. A white variety of the last.	1.50	10.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white separate.	1.50	10.00
hypericum olymp.cum. A rare rock plant, gray foliage and very large, yellow flowers. 6 in. June-July.	3.00	20.00
iBERIS (Candytuft) sempervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 in. April-May.		8.00
INCARVILLEA		
Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of Bignonia grandiflora; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout erect stems. July. Strong flowering roots.	2.00	12.00
INULA		
ensifolia. Forms a compact ,symmetrical clump and in July is covered with bright yellow flowers.  1 ft.	1.50	10.00
glandulosa. A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread-like petals. 2 ft. June-		
July.	2.00	12.00

	Per Doz.—	-Per 100
IRIS		
cristata. A dwarf fairly-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in.		
May.	1.50	10.00
pumila Cyanea. Violet-purple. 9 in. May	1.25	8.00
" The Bride. Pure white, 6 in, May.	1.25	8.00
sibirica. Gracefu', slender, grass-like foliage and vio- let-blue flowers on long stems. An excellent		
plant for moist situations. 3 ft. May-June.	1.25	8.00
" Snow Queen. Large, snow-white, well formed		
flowers.	1.50	10.00
LATHYDIC (Demandial Course Des)		
LATHYRUS (Perennial Sweet Pea) latifolius albus. A vigorous climber. White flowers.	. 1.50	10.00
" roseus. A pink variety.	1.50	10.00
	1.00	10.00
LEONTOPODIUM  alpinum (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance	•	40.00
6 in. May-June.	2.00	12.00
LIATRIS  pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August.	e 1.50	10.00
LINUM (Flax)		
perenne. A continuous succession of clouds of sap	_	
phire blue flowers throughout summer. 2 ft.	1.25	8.00
" alba. A white variety of the above.	1.25	8.00
LYCHNIS		
alpina. Compact cushions of rich green leaves stud ded in April and May with heads of pinl		
flowers.	1.50	10.00
chalcedonica. (Jerusalem Cross). Stout leafy stem bearing large, tlat heads of bright scarlet flow		
ers. 2-3 ft. July-August.	1.50	10.00
" alba. A white variety of the above.	1.50	10.00
LYSIMACHIA		
nummularia. A prostrate trailer, spangled during		
spring and ear.y summer with large, clear yel low flowers.	1.25	8.00

Virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September.  MAZUS  rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold.  MONARDA  didyma. (Bergamot). Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.  MYOSOTIS  palustris semperflorens. The well known and popular For-get-me-not.  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.50 10.00		Per Doz	-Per 100
many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September.  MAZUS  rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold.  MONARDA  didyma. (Bergamot). Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.  MYOSOTIS  palustris semperflorens. The well known and popular For-get-me-not.  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  PARADANTHUS (Blackberry Lilly)  chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.50 10.00			
rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold.  MONARDA  didyma. (Bergamot). Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.  MYOSOTIS  palustris semperflorens. The well known and popular For-get-me-not.  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicauic (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.50  10.00	many slender stems which are thickly covered three quarters of their length with rosy pink		10.00
carpet, studded in spring with large violet flowers spotted with gold.  MONARDA  didyma. (Bergamot). Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.  MYOSOTIS  palustris semperflorens. The well known and popular For-get-me-not.  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  1.50  PARADANTHUS (Blackberry Lilly)  chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.50  10.00	MAZUS		
didyma. (Bergamot). Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.  MYOSOTIS  palustris semperflorens. The well known and popular For-get-me-not.  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  PARADANTHUS (Blackberry Lilly)  chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.50  1.25  8.0	carpet, studded in spring with large violet flow-		10.00
3 ft. stems. The whole plant is fragrant, June-August.  MYOSOTIS  palustris semperflorens. The well known and popular For-get-me-not.  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  PARADANTHUS (Blackberry Lilly)  chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.25  8.00  1.25  8.00  1.25  8.00  1.25  8.00  1.25  8.00  1.25  8.00  1.20  10.00	MONARDA		
Palustris semperflorens. The well known and popular For-get-me-not.  1.25 8.00  NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  0ENOTHERA (Evening Primrose) speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  1.50 10.00  PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brown- ish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July- August.  1.50 10.00  PAPAVER alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  2.00 12.00  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May- August.  1.50 10.00	3 ft. stems. The whole plant is fragrant.		8.00
NEPETA  Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft. 1.50 10.00  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft. 1.50 10.00  PARADANTHUS (Blackberry Lilly)  chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. 1.50 10.00  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers. 2.00 12.00  nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August. 1.50 10.00	MYOSOTIS		
Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  1.50 10.00  PARADANTHUS (Blackberry Lilly)  chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  1.50 10.00  PAPAVER  alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  2.00 12.00  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.		1.25	8.00
trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.  1.50  OENOTHERA (Evening Primrose)  speciosa. Erect habit; snow-white flowers in great profusion throughout summer. 2 ft.  PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.  PAPAVER alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.  1.50  10.00	NEPETA		
profusion throughout summer. 2 ft. 1.50 10.00  PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. 1.50 10.00  PAPAVER alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers. 2.00 12.00  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August. 1.50 10.00	trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in	1.50	10.00
profusion throughout summer. 2 ft. 1.50 10.00  PARADANTHUS (Blackberry Lilly) chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. 1.50 10.00  PAPAVER alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers. 2.00 12.00  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August. 1.50 10.00	OENOTHERA (Evening Primrose)		
chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. 1.50 10.00  PAPAVER alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers. 2.00 12.00  nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August. 1.50 10.00	speciosa. Erect habit; snow-white flowers in great	1.50	10.00
alpinum. A dwarf, minature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  2.00 12.00  nudicau.e (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 it. in height. Good for cutting. May-August.  1.50 10.00	chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-	1.50	10.00
divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.  2.00  12.00  nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 it. in height. Good for cutting. May- August.  1.50  10.00			
plants, bearing solitary blossoms on stems about 1 it. in height. Good for cutting. May-August. 1.50 10.00	divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink	2.00	12.00
August. 1.50 10.00	plants, bearing solitary blossoms on stems	•	
		1.50	10.00
orientale. Large scartet nowers. 5 ft. May-June. 1.30 10.00	orientale. Large scarlet flowers. 3 ft. May-June.	1.50	10.00

	Per Doz.	–Per 100
PAPAVER (continued) pilosum. A very free flowering border plant bearing orange-bronze flowers. June-July. 2 ft.	1.50	10.00
PENTSTEMON barabatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August.	1.50	10.00
Digitalis. White tubular flowers with purp'e throat. Good for cutting. 2-3 ft. June-July.  PHLOX. One of the most important families of hardy perennials and one that shoud be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water.	1.50	10.00
Antonin Mercier. Soft lilac blue with white center. 2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 21/2 ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Europa. White with carmine eye. 212 ft.	1.25	8.00
Geffion. Soft pink with soft rose eye. 212 ft.	1.50	10.00
<b>Gruppenkonigen.</b> Flesh pink with carmine eye. $2\frac{1}{2}$ ft.	1.50	10.00
La Vogue. Pinkish mauve. 2½ ft.	1.25	8.00
Mrs. Jenkins. Pure white; large trusses. 21/2 ft.	1.25	8.00
Rijnstroom. Rose-pink, very large individual flowers. 2½ ft.	1.50	10.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.25	8.00
Thor. Very large trusses of dazzling pink flowers. $2\frac{1}{2}$ ft.	1.25	8.00
W. C. Egan. Large pink flowers. 2½ ft.	1.25	8.00
Widar. Reddish-violet flowers with white centers. $2\frac{1}{2}$ ft	1.25	8.00
suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eye. 2½ ft. June-September.	1.50	10.00

	Per Doz.	-Per 100
PHLOX, Dwarf varieties		
amoena. Compact glossy green foliage and masses of vivid pink flowers in April and May. 9 in.		10.00
divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May.	1.50	10.00
stclonifera. A quick growing trailer bearing heads of lavender flowers. 9 inches. April-May.	1.50	10.00
sublata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in.		8.00
" atrolilacina. Masses of deep lilac flowers en- tirely cover the plants during April and May. The flowers of this plant are the nearest ap- proach to blue of any variety of this type of Phlox.		12.00
"G. F. Wilson. One of the best and most flor iferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in.	• •	12.00 8.00
" lilacina. A lilac variety. " rosea. A pink variety.	$\frac{1.25}{1.25}$	8.00
PHYSALIS (Winter Cherry)		
Franchetti. Bright orange bladder-like calyces en- closing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October.		8.00
PHYSOSTEGIA		
virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August.		8.00
" alba. A white variety of the foregoing.	1.25	8.00
"grandiflora. A plant of recent introduction and a most valuable acquistion. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being		
an addition to the very few dwarf late flower- ing plants. August-September.	1.50	10.00

	Per Doz	-Per 100
PINK, Hardy. A highly popular group of old fashioned	1 01 1002.	-1 CI 100
garden plants, esteemed for their extreme flor-		
iferousness and delicious fragrance. 12 to 15		
inches. May-June.	1.25	8.00
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white; large flowers.	2.00	12.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lycns. Deep rose.	1.25	8.00
White Reserve. Pure white; perpetual flowering. PLATYCODON. (Balloon Flower)	1.25	8.00
grandiflorum. Blue bell-shaped flowers borne on		0.0
slender stems. 2 ft. June-October.	1.25	8.00
" album. A white variety of the above.	1.25	8.0
PLUMBAGO  Larpentae. (Leadwort) Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.		10.0
humile. A choice and rare rock plant of neat tufted habit, bearing dense trusses of satiny, pale blue flowers in great profusion. May-June 6 inches.		12.0
Richardsoni. Neat tufts of vivid green foliage and		
erect spikes of pale b ue flowers. 1½ ft. May		10.0
PYRETHRUM		
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft		
June.	1.25	8.0
RANUNCULUS		
acris fl. pl. This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole in florescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting		
May-June.	1.25	8.0

8.00 8.00
8.00
8.00
8.00
12.00
8.00
8.00
10.00
1000
12.00 $12.00$
10.00
10.00
0.00
1

SEDUM (continued)	Per Doz.—	-Per 100
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.	1.50	10.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.50	10.00
obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4 in. June.		12.00
reflexum. Clusters of golden flowers. 9 in. June July.	1.50	10.00
sarmentosum. Fleshy leaved, trailer with yellow flowers.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.50	10.00
stoloniferum. Large clusters of pink flowers on pros- trate, trailing stems. 6 in. June-July.	1.50	10.00
<ul> <li>spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September.</li> <li>Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.</li> </ul>	1.25	8.00 10.00
SIDALCEA		
Rosy Gem. Pink mallow-like flowers on slender graceful stems. 2½ ft. July.	2.00	12.00
SPIRAEA		
Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2½ ft. June.		10.00
		10.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.		8.00
" fl. pl. A double flower form of the foregoing and a much superior plant. Excellent for cutting.	1.50	10.00

	Per Doz	-Per 100
STOKESIA		
cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October.		10.00
cyanea alba. A white variety of the foregoing.	1.50	10.00
STATICE		
latifolia. (Sea Lavender) Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September.	1.50	10.00
SWEET WILLIAM		
Newport Pink.	1.25	8.00
Scarlet Beauty	1.25	8.00
White.	1.25	8.00
THALICTRUM		
andiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of Gypsophila paniculata before that is available. 2½ ft. June-July.  aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-	1.50	10.00
July.	1.50	10.00
" purpureum. Pinkish purple flowers.	1.50	10.00
glaucum. Glaucous foliage and large, feathery heads of yellow flowers.	1.50	10.00
THYMUS		
<ul> <li>lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers.</li> <li>Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and</li> </ul>	2.00	12.00
July.	2.00	12.00
" coccineus. A scarlet flowered variety.	2.00	12.00
TRITOMA (Torch Lily)		
Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubu-		
lar flowers. 2-3 ft. September-October.	2.50	15.00

	Per Doz.	–Per 100
TRITOMA (Torch Lily) (continued)  Mixed Hybrids. A choice mixture, varying from yellow to scarlet.	1.50	10.00
TUNICA Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.		10.00
VALERIANA officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July.	1.50	10.00
VERONICA incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	1.50	10.00
Royal Blue. A dwarf bushy plant covered in May and June with masses of bright blue flowers. 1 ft.	2.00	12.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers.	1.50	10.00
<ul><li>spicata. Spikes of blue flowers. 2 ft. June-August.</li><li>"rosea. An uncommon pink variety of the foregoing.</li></ul>	1.50 1.50	10.00
subsessilis. Stout erect stems of intense blue flowers. 2-3 ft. July-August.	2.00	12.00
VIOLA		
Jersey Gem. One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact.	1.50	10.00
pedata. (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May.	1.50	10.00
YUCCA filamentosa. (Adam's Needle) Large rosettes of sword-like leaves, and spikes of white flowers.		
6-8 ft. July. Two year plants.	1.50	10.00

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

Achillea rupestris Achillea tomentosa Achillea umbellata Aethionema iberideum Ajuga genevensis Alyssum argenteum A'vssum saxatile compactum

Arabis alpina Arenaria montana

Armeria maritima Laucheana

Aster alpinus Aster alpinus albus Aster subcoeruleus Aubrietia deltoidea Calamintha alpina Campanula carpatica Cerastium tomentosum Dianthus arenarius Dianthus caesius Dianthus deltoides Dianthus Deltoides albus

Dianthus deltoides Brilliant Erinus alpinus

Erinus alpinus albus Euphorbia polychroma Geranium sanguineum G'obularia tricosantha Gypsophila repens Helianthemum Fireball Helianthemum macranthum Helianthemum Mrs. Earle Helianthemum praecox

Helianthemum rhodanthe carneum

Herniaria glabra Hypericum olympicum Iberis sempervirens Inula ensifolia Iris cristata Iris pumila cyanea Iris pumila The Bride Leontopodium alpinum

Lychnis alpina

Lysimachia nummularia

Mazus rugosus Nepeta Mussini

Oenothera missouriensis

Papaver a!pinum Papaver nudicaule Phlox amoena Phlox divaricata Phlox stolonifera Phlox subulata alba

Phlox subulata atrolilacina Phlox Subulata G. F. Wilson

Phlox subulata lilacina Ph'ox subulata rosea Plumbago Larpentae Polemonium humile Santolina incana Saponaria ocymoides

Sedum acre Sedum album Sedum hispanicum Sedum lydium Sedum obtusatum Sedum reflexum Sedum sarmentosum Sedum sexangulare Sedum stoloniferum Thymus lanuginosus Thymus Serpyllum albus Thymus Serpyllum coccineus Tunica Saxifraga

Veronica incana Veronica repens Veronica Royal Blue Veronica rupestris Viola pedata


All plants in the following list are suitable for cutting, a careful selection will provide a supply of flowers from Spring until Fall.

Achillea Ptarmica The Pearl Achillea Ptarmica Boule de Niege Anthemis tinctoria Kelwavi Armeria Cephalotes Baptisia australis Campanula persicifolia Campanula persicifolia alba Chrysanthemum maximum Coreopsis grandiflora Delphinium Belladonna Delphinium Bellamosum Eupatorium Coelestinum Euphorbia corallata Gaillardia grandiflora Gypsophila paniculata Heliopsis Pitcheriana Inula glandulosa

Liatris pycnostachya Pentstemon barbatus Torreyi Phlox Miss Lingard Pink Excelsion Pink Her Majesty Pink Homer Pink Juliette Pink Lord Lyon Pink White Reserve Pyrethrum roseum Ranunculus acris fl. pl. Scabiosa caucasica Scabiosa caucasica alba Statice latifolia Thalictrum adiantifolium Tritoma Pfitzeri Spiraea Ulmaria fl. pl.

Prices and descriptions of the plants in the preceding lists will be found in the body of catalogue..





La contraction			
-			
*			
	•		
7			
-	4		
1			
- 4			